

1. Introduction. This program module contains brute-force implementations of the ten input/output primitives defined at the beginning of MMIX-SIM. The subroutines are grouped here as a separate package, because they are intended to be loaded with the pipeline simulator as well as with the simple simulator.

⟨ Preprocessor macros 2 ⟩
 ⟨ Type definitions 3 ⟩
 ⟨ External subroutines 4 ⟩
 ⟨ Global variables 6 ⟩
 ⟨ Subroutines 7 ⟩

2. Of course we include standard C library routines, and we set things up to accommodate older versions of C.

```

⟨ Preprocessor macros 2 ⟩ ≡
#include <stdio.h>
#include <stdlib.h>
#ifdef __STDC__
#define ARGS(list) list
#else
#define ARGS(list) ( )
#endif
#ifndef FILENAME_MAX
#define FILENAME_MAX 256
#endif
#ifndef SEEK_SET
#define SEEK_SET 0
#endif
#ifndef SEEK_END
#define SEEK_END 2
#endif
  
```

This code is used in section 1.

3. The unsigned 32-bit type **tetra** must agree with its definition in the simulators.

```

⟨ Type definitions 3 ⟩ ≡
typedef unsigned int tetra;
typedef struct {
    tetra h, l;
} octa; /* two tetrabytes make one octabyte */
  
```

See also section 5.

This code is used in section 1.

4. Three basic subroutines are used to get strings from the simulated memory and to put strings into that memory. These subroutines are defined appropriately in each simulator. We also use a few subroutines and constants defined in MMIX-ARITH.

```

⟨ External subroutines 4 ⟩ ≡
    extern char stdin_chr ARGS((void));
    extern int mmgetchars ARGS((char *buf, int size, octa addr, int stop));
    extern void mmputchars ARGS((unsigned char *buf, int size, octa addr));
    extern octa oplus ARGS((octa, octa));
    extern octa ominus ARGS((octa, octa));
    extern octa incr ARGS((octa, int));
    extern octa zero_octa; /* zero_octa.h = zero_octa.l = 0 */
    extern octa neg_one; /* neg_one.h = neg_one.l = -1 */

```

This code is used in section 1.

5. Each possible handle has a file pointer and a current mode.

```

⟨ Type definitions 3 ⟩ +≡
    typedef struct {
        FILE *fp; /* file pointer */
        int mode; /* [read OK] + 2[write OK] + 4[binary] + 8[readwrite] */
    } sim_file_info;

```

6. ⟨ Global variables 6 ⟩ ≡
sim_file_info sfile[256];

See also sections 9 and 24.

This code is used in section 1.

7. The first three handles are initially open.

```

⟨ Subroutines 7 ⟩ ≡
    void mmix_io_init ARGS((void));
    void mmix_io_init()
    {
        sfile[0].fp = stdin, sfile[0].mode = 1;
        sfile[1].fp = stdout, sfile[1].mode = 2;
        sfile[2].fp = stderr, sfile[2].mode = 2;
    }

```

See also sections 8, 10, 11, 12, 14, 16, 18, 19, 20, 21, 22, and 23.

This code is used in section 1.

8. The only tricky thing about these routines is that we want to protect the standard input, output, and error streams from being preempted.

⟨Subroutines 7⟩ +≡

```

octa mmix_fopen ARGS((unsigned char, octa, octa));
    octa mmix_fopen(handle, name, mode)
    unsigned char handle;
    octa name, mode;
{
    char name_buf[FILENAME_MAX];
    if (mode.h ∨ mode.l > 4) goto abort;
    if (mmgetchars(name_buf, FILENAME_MAX, name, 0) ≡ FILENAME_MAX) goto abort;
    if (sfile[handle].mode ≠ 0 ∧ handle > 2) fclose(sfile[handle].fp);
    sfile[handle].fp = fopen(name_buf, mode_string[mode.l]);
    if (¬sfile[handle].fp) goto abort;
    sfile[handle].mode = mode_code[mode.l];
    return zero_octa;    /* success */
abort: sfile[handle].mode = 0;
    return neg_one;    /* failure */
}

```

9. ⟨Global variables 6⟩ +≡

```

char *mode_string[] = {"r", "w", "rb", "wb", "w+b"};
int mode_code[] = {#1, #2, #5, #6, #f};

```

10. If the simulator is being used interactively, we can avoid competition for *stdin* by substituting another file.

⟨Subroutines 7⟩ +≡

```

void mmix_fake_stdin ARGS((FILE *));
    void mmix_fake_stdin(f)
    FILE *f;
{
    sfile[0].fp = f;    /* f should be open in mode "r" */
}

```

11. ⟨Subroutines 7⟩ +≡

```

octa mmix_fclose ARGS((unsigned char));
    octa mmix_fclose(handle)
    unsigned char handle;
{
    if (sfile[handle].mode ≡ 0) return neg_one;
    if (handle > 2 ∧ fclose(sfile[handle].fp) ≠ 0) return neg_one;
    sfile[handle].mode = 0;
    return zero_octa;    /* success */
}

```

12. $\langle \text{Subroutines 7} \rangle + \equiv$

```

octa mmix_fread ARGS((unsigned char, octa, octa));
    octa mmix_fread(handle, buffer, size)
    unsigned char handle;
    octa buffer, size;
{
    register unsigned char *buf;
    register int n;
    octa o;
    o = neg_one;
    if ( $\neg$ (sfile[handle].mode & #1)) goto done;
    if (sfile[handle].mode & #8) sfile[handle].mode &= ~#2;
    if (size.h) goto done;
    buf = (unsigned char *) calloc(size.l, sizeof(char));
    if ( $\neg$ buf) goto done;
     $\langle \text{Read } n \leq \textit{size.l} \text{ characters into } \textit{buf} \text{ 13} \rangle$ ;
    mmputchars(buf, n, buffer);
    free(buf);
    o.h = 0, o.l = n;
done: return ominus(o, size);
}
```

13. $\langle \text{Read } n \leq \textit{size.l} \text{ characters into } \textit{buf} \text{ 13} \rangle \equiv$

```

if (sfile[handle].fp  $\equiv$  stdin) {
    register unsigned char *p;
    for (p = buf, n = size.l; p < buf + n; p++) *p = stdin_chr();
}
else {
    clearerr(sfile[handle].fp);
    n = fread(buf, 1, size.l, sfile[handle].fp);
    if (ferror(sfile[handle].fp)) {
        free(buf);
        goto done;
    }
}
```

This code is used in section 12.

14. \langle Subroutines 7 $\rangle + \equiv$

```

octa mmix_fgets ARGS((unsigned char, octa, octa));
    octa mmix_fgets(handle, buffer, size)
    unsigned char handle;
    octa buffer, size;
{
    char buf[256];
    register int n, s;
    register char *p;
    octa o;
    int eof = 0;
    if ( $\neg$ (sfile[handle].mode & #1)) return neg_one;
    if ( $\neg$ size.l  $\wedge$   $\neg$ size.h) return neg_one;
    if (sfile[handle].mode & #8) sfile[handle].mode &=  $\sim$ #2;
    size = incr(size, -1);
    o = zero_octa;
    while (1) {
         $\langle$  Read  $n < 256$  characters into buf 15  $\rangle$ ;
        mmputchars((unsigned char *) buf, n + 1, buffer);
        o = incr(o, n);
        size = incr(size, -n);
        if ((n  $\wedge$  buf[n - 1]  $\equiv$  '\n')  $\vee$  ( $\neg$ size.l  $\wedge$   $\neg$ size.h)  $\vee$  eof) return o;
        buffer = incr(buffer, n);
    }
}

```

15. \langle Read $n < 256$ characters into *buf* 15 $\rangle \equiv$

```

s = 255;
if (size.l < s  $\wedge$   $\neg$ size.h) s = size.l;
if (sfile[handle].fp  $\equiv$  stdin)
    for (p = buf, n = 0; n < s; ) {
        *p = stdin_chr();
        n++;
        if (*p++  $\equiv$  '\n') break;
    }
else {
    if ( $\neg$ fgets(buf, s + 1, sfile[handle].fp)) return neg_one;
    eof = feof(sfile[handle].fp);
    for (p = buf, n = 0; n < s; ) {
        if ( $\neg$ *p  $\wedge$  eof) break;
        n++;
        if (*p++  $\equiv$  '\n') break;
    }
}
*p = '\0';

```

This code is used in section 14.

16. The routines that deal with wyde characters might need to be changed on a system that is little-endian; the author wishes good luck to whoever has to do this. MMIX is always big-endian, but external files prepared on random operating systems might be backwards.

⟨Subroutines 7⟩ +=

```

octa mmix_fgetws ARGS((unsigned char, octa, octa));
    octa mmix_fgetws(handle, buffer, size)
    unsigned char handle;
    octa buffer, size;
{
    char buf[256];
    register int n, s;
    register char *p;
    octa o;
    int eof = 0;
    if (¬(sfile[handle].mode & #1)) return neg_one;
    if (¬size.l ∧ ¬size.h) return neg_one;
    if (sfile[handle].mode & #8) sfile[handle].mode &= ~#2;
    buffer.l &= -2;
    size = incr(size, -1);
    o = zero_octa;
    while (1) {
        ⟨Read n < 128 wyde characters into buf 17⟩;
        mmputchars((unsigned char *) buf, 2 * n + 2, buffer);
        o = incr(o, n);
        size = incr(size, -n);
        if ((n ∧ buf[2 * n - 1] ≡ '\n' ∧ buf[2 * n - 2] ≡ 0) ∨ (¬size.l ∧ ¬size.h) ∨ eof) return o;
        buffer = incr(buffer, 2 * n);
    }
}

```

17. ⟨Read *n* < 128 wyde characters into *buf* 17⟩ ≡

```

s = 127;
if (size.l < s ∧ ¬size.h) s = size.l;
if (sfile[handle].fp ≡ stdin)
    for (p = buf, n = 0; n < s; ) {
        *p++ = stdin_chr(); *p++ = stdin_chr();
        n++;
        if (*(p - 1) ≡ '\n' ∧ *(p - 2) ≡ 0) break;
    }
else
    for (p = buf, n = 0; n < s; ) {
        if (fread(p, 1, 2, sfile[handle].fp) ≠ 2) {
            eof = feof(sfile[handle].fp);
            if (¬eof) return neg_one;
            break;
        }
        n++, p += 2;
        if (*(p - 1) ≡ '\n' ∧ *(p - 2) ≡ 0) break;
    }
*p = *(p + 1) = '\0';

```

This code is used in section 16.

18. ⟨Subroutines 7⟩ +≡

```

octa mmix_fwrite ARGS((unsigned char, octa, octa));
    octa mmix_fwrite(handle, buffer, size)
    unsigned char handle;
    octa buffer, size;
{
    char buf[256];
    register int n;
    if ( $\neg$ (sfile[handle].mode & #2)) return ominus(zero_octa, size);
    if (sfile[handle].mode & #8) sfile[handle].mode &= ~#1;
    while (1) {
        if (size.h  $\vee$  size.l  $\geq$  256) n = mmgetchars(buf, 256, buffer, -1);
        else n = mmgetchars(buf, size.l, buffer, -1);
        size = incr(size, -n);
        if (fwrite(buf, 1, n, sfile[handle].fp)  $\neq$  n) return ominus(zero_octa, size);
        fflush(sfile[handle].fp);
        if ( $\neg$ size.l  $\wedge$   $\neg$ size.h) return zero_octa;
        buffer = incr(buffer, n);
    }
}

```

19. ⟨Subroutines 7⟩ +≡

```

octa mmix_fputs ARGS((unsigned char, octa));
    octa mmix_fputs(handle, string)
    unsigned char handle;
    octa string;
{
    char buf[256];
    register int n;
    octa o;
    o = zero_octa;
    if ( $\neg$ (sfile[handle].mode & #2)) return neg_one;
    if (sfile[handle].mode & #8) sfile[handle].mode &= ~#1;
    while (1) {
        n = mmgetchars(buf, 256, string, 0);
        if (fwrite(buf, 1, n, sfile[handle].fp)  $\neq$  n) return neg_one;
        o = incr(o, n);
        if (n < 256) {
            fflush(sfile[handle].fp);
            return o;
        }
        string = incr(string, n);
    }
}

```

20. \langle Subroutines 7 $\rangle + \equiv$

```

octa mmix_fputws ARGS((unsigned char, octa));
    octa mmix_fputws(handle, string)
    unsigned char handle;
    octa string;
{
    char buf[256];
    register int n;
    octa o;
    o = zero_octa;
    if ( $\neg$ (sfile[handle].mode & #2)) return neg_one;
    if (sfile[handle].mode & #8) sfile[handle].mode &=  $\sim$ #1;
    while (1) {
        n = mmgetchars(buf, 256, string, 1);
        if (fwrite(buf, 1, n, sfile[handle].fp)  $\neq$  n) return neg_one;
        o = incr(o, n  $\gg$  1);
        if (n < 256) {
            fflush(sfile[handle].fp);
            return o;
        }
        string = incr(string, n);
    }
}

```

21. **#define** *sign_bit* ((**unsigned**) #80000000)

\langle Subroutines 7 $\rangle + \equiv$

```

octa mmix_fseek ARGS((unsigned char, octa));
    octa mmix_fseek(handle, offset)
    unsigned char handle;
    octa offset;
{
    if ( $\neg$ (sfile[handle].mode & #4)) return neg_one;
    if (sfile[handle].mode & #8) sfile[handle].mode = #f;
    if (offset.h & sign_bit) {
        if (offset.h  $\neq$  #ffffffff  $\vee$   $\neg$ (offset.l & sign_bit)) return neg_one;
        if (fseek(sfile[handle].fp, (int) offset.l + 1, SEEK_END)  $\neq$  0) return neg_one;
    } else {
        if (offset.h  $\vee$  (offset.l & sign_bit)) return neg_one;
        if (fseek(sfile[handle].fp, (int) offset.l, SEEK_SET)  $\neq$  0) return neg_one;
    }
    return zero_octa;
}

```


22. \langle Subroutines 7 $\rangle + \equiv$

```

octa mmix_ftell ARGS((unsigned char));
    octa mmix_ftell(handle)
    unsigned char handle;
{
    register long x;
    octa o;
    if ( $\neg$ (sfile[handle].mode & #4)) return neg_one;
    x = ftell(sfile[handle].fp);
    if (x < 0) return neg_one;
    o.h = 0, o.l = x;
    return o;
}

```

23. One last subroutine belongs here, just in case the user has modified the standard error handle.

\langle Subroutines 7 $\rangle + \equiv$

```

void print_trip_warning ARGS((int, octa));
    void print_trip_warning(n, loc)
    int n;
    octa loc;
{
    if (sfile[2].mode & #2)
        fprintf(sfile[2].fp, "Warning: %s at location %08x%08x\n", trip_warning[n], loc.h, loc.l);
}

```

24. \langle Global variables 6 $\rangle + \equiv$

```

char *trip_warning[] = {"TRIP", "integer_divide_check", "integer_overflow",
    "float-to-fix_overflow", "invalid_floating_point_operation",
    "floating_point_overflow", "floating_point_underflow",
    "floating_point_division_by_zero", "floating_point_inexact"};

```

25. Index.

- `--STDC--`: [2](#).
- `abort`: [8](#).
- `addr`: [4](#).
- `ARGS`: [2](#), [4](#), [7](#), [8](#), [10](#), [11](#), [12](#), [14](#), [16](#), [18](#), [19](#), [20](#), [21](#), [22](#), [23](#).
- big-endian versus little-endian: [16](#).
- `buf`: [4](#), [12](#), [13](#), [14](#), [15](#), [16](#), [17](#), [18](#), [19](#), [20](#).
- `buffer`: [12](#), [14](#), [16](#), [18](#).
- `calloc`: [12](#).
- `clearerr`: [13](#).
- `done`: [12](#), [13](#).
- `eof`: [14](#), [15](#), [16](#), [17](#).
- `f`: [10](#).
- `fclose`: [8](#), [11](#).
- `feof`: [15](#), [17](#).
- `ferror`: [13](#).
- `fflush`: [18](#), [19](#), [20](#).
- `fgets`: [15](#).
- `FILENAME_MAX`: [2](#), [8](#).
- `fopen`: [8](#).
- `fp`: [5](#), [7](#), [8](#), [10](#), [11](#), [13](#), [15](#), [17](#), [18](#), [19](#), [20](#), [21](#), [22](#), [23](#).
- `fprintf`: [23](#).
- `fread`: [13](#), [17](#).
- `free`: [12](#), [13](#).
- `fseek`: [21](#).
- `ftell`: [22](#).
- `fwrite`: [18](#), [19](#), [20](#).
- `h`: [3](#).
- `handle`: [8](#), [11](#), [12](#), [13](#), [14](#), [15](#), [16](#), [17](#), [18](#), [19](#), [20](#), [21](#), [22](#).
- I/O: [1](#).
- `incr`: [4](#), [14](#), [16](#), [18](#), [19](#), [20](#).
- input/output: [1](#).
- `l`: [3](#).
- `list`: [2](#).
- little-endian versus big-endian: [16](#).
- `loc`: [23](#).
- `mmgetchars`: [4](#), [8](#), [18](#), [19](#), [20](#).
- `mmix_fake_stdin`: [10](#).
- `mmix_fclose`: [11](#).
- `mmix_fgets`: [14](#).
- `mmix_fgetws`: [16](#).
- `mmix_fopen`: [8](#).
- `mmix_fputs`: [19](#).
- `mmix_fputws`: [20](#).
- `mmix_fread`: [12](#).
- `mmix_fseek`: [21](#).
- `mmix_ftell`: [22](#).
- `mmix_fwrite`: [18](#).
- `mmix_io_init`: [7](#).
- `mmputchars`: [4](#), [12](#), [14](#), [16](#).
- `mode`: [5](#), [7](#), [8](#), [11](#), [12](#), [14](#), [16](#), [18](#), [19](#), [20](#), [21](#), [22](#), [23](#).
- `mode_code`: [8](#), [9](#).
- `mode_string`: [8](#), [9](#).
- `n`: [12](#), [14](#), [16](#), [18](#), [19](#), [20](#), [23](#).
- `name`: [8](#).
- `name_buf`: [8](#).
- `neg_one`: [4](#), [8](#), [11](#), [12](#), [14](#), [15](#), [16](#), [17](#), [19](#), [20](#), [21](#), [22](#).
- `o`: [12](#), [14](#), [16](#), [19](#), [20](#), [22](#).
- `octa`: [3](#), [4](#), [8](#), [11](#), [12](#), [14](#), [16](#), [18](#), [19](#), [20](#), [21](#), [22](#), [23](#).
- `offset`: [21](#).
- `ominus`: [4](#), [12](#), [18](#).
- `oplus`: [4](#).
- `p`: [13](#), [14](#), [16](#).
- `print_trip_warning`: [23](#).
- `s`: [14](#), [16](#).
- `SEEK_END`: [2](#), [21](#).
- `SEEK_SET`: [2](#), [21](#).
- `sfile`: [6](#), [7](#), [8](#), [10](#), [11](#), [12](#), [13](#), [14](#), [15](#), [16](#), [17](#), [18](#), [19](#), [20](#), [21](#), [22](#), [23](#).
- `sign_bit`: [21](#).
- `sim_file_info`: [5](#), [6](#).
- `size`: [4](#), [12](#), [13](#), [14](#), [15](#), [16](#), [17](#), [18](#).
- `stderr`: [7](#).
- `stdin`: [7](#), [10](#), [13](#), [15](#), [17](#).
- `stdin_chr`: [4](#), [13](#), [15](#), [17](#).
- `stdout`: [7](#).
- `stop`: [4](#).
- `string`: [19](#), [20](#).
- system dependencies: [16](#).
- `tetra`: [3](#).
- `trip_warning`: [23](#), [24](#).
- `x`: [22](#).
- `zero_octa`: [4](#), [8](#), [11](#), [14](#), [16](#), [18](#), [19](#), [20](#), [21](#).

- ⟨ External subroutines [4](#) ⟩ Used in section [1](#).
- ⟨ Global variables [6](#), [9](#), [24](#) ⟩ Used in section [1](#).
- ⟨ Preprocessor macros [2](#) ⟩ Used in section [1](#).
- ⟨ Read $n < 128$ wyde characters into *buf* [17](#) ⟩ Used in section [16](#).
- ⟨ Read $n < 256$ characters into *buf* [15](#) ⟩ Used in section [14](#).
- ⟨ Read $n \leq size.l$ characters into *buf* [13](#) ⟩ Used in section [12](#).
- ⟨ Subroutines [7](#), [8](#), [10](#), [11](#), [12](#), [14](#), [16](#), [18](#), [19](#), [20](#), [21](#), [22](#), [23](#) ⟩ Used in section [1](#).
- ⟨ Type definitions [3](#), [5](#) ⟩ Used in section [1](#).

April 17, 2023 at 14:00

MMIX-IO

	Section	Page
Introduction	1	1
Index	25	10

© 1999 Donald E. Knuth

This file may be freely copied and distributed, provided that no changes whatsoever are made. All users are asked to help keep the **MMIX**ware files consistent and “uncorrupted,” identical everywhere in the world. Changes are permissible only if the modified file is given a new name, different from the names of existing files in the **MMIX**ware package, and only if the modified file is clearly identified as not being part of that package. (The **CWEB** system has a “change file” facility by which users can easily make minor alterations without modifying the master source files in any way. Everybody is supposed to use change files instead of changing the files.) The author has tried his best to produce correct and useful programs, in order to help promote computer science research, but no warranty of any kind should be assumed.